

## **Checklist for Reporting Human Islet Preparations Used in Research**

Adapted from Hart NJ, Powers AC (2018) Progress, challenges, and suggestions for using human islets to understand islet biology and human diabetes. Diabetologia <u>https://doi.org/10.1007/s00125-018-4772-2</u>.

Manuscript DOI: https://doi.org/10.2337/[insert manuscript submission number] (Example, https://doi.org/10.2337/db18-1234)

Title: Potential protection against type 2 diabetes in obesity through lower CD36 expression and improved exocytosis in β-cells

Author list: Mototsugu Nagao, Jonathan L.S. Esguerra, Akira Asai, Jones K. Ofori, Anna Edlund, Anna Wendt, Hitoshi Sugihara, Claes B. Wollheim, Shinichi Oikawa, Lena Eliasson

Corresponding author: Lena Eliasson, Mototsugu Nagao

Email address: lena.eliasson@med.lu.se, s8067@nms.ac.jp

Islet preparation	81	82	83	84	85	86	87	88 <sup>a</sup>
MANDATORY INFORMATION								
Unique identifier	179	182	183	184	185	186	188	189
Donor age (years)	63	81	69	55	52	59	58	69
Donor sex (M/F)	М	М	М	F	F	М	М	F
Donor BMI (kg/m <sup>2</sup> )	18	24.5	24.9	23.8	33	21.6	33	39.1

Donor HbA <sub>1c</sub> (%)	5.7	6.7	7.2	5.4	8.1	5.3	6	5.8
Origin/source of islets <sup>b</sup>	NICS							
Islet isolation centre	Uppsala University							
Donor history of diabetes? Yes/No	No	Yes	Yes	No	Yes	No	No	No
If Yes, complete the next two lines if this information is available								
Diabetes duration (years)								
Glucose-lowering therapy at time of death <sup>c</sup>								

RECOMMENDED INFORMATION								
Donor cause of death								
Warm ischaemia time (h)								
Cold ischaemia time (h)								

Estimated purity (%)	84	77	82	94	53	96	74	81
Estimated viability (%)								
Total culture time (h) <sup>d</sup>								
Glucose-stimulated insulin secretion (Stimulation index) <sup>e</sup>	3.5	8.6	5.1	14.6	3.7	7.6	N/A	9.6
Handpicked to purity? Yes/No								
Additional notes								

<sup>a</sup>If you have used more than eight islet preparations, please complete additional forms as necessary
<sup>b</sup>For example, IIDP, ECIT, Alberta IsletCore
<sup>c</sup>Please specify the therapy/therapies
<sup>d</sup>Time of islet culture at the isolation centre, during shipment and at the receiving laboratory
<sup>e</sup>Please specify the test and the results: Stimulation index was calculated by dividing the average insulin concentration of the high-glucose phase by that of the low-glucose phase in a dynamic perfusion.